

# General Training Reading Sample 15

---

## Questions 6-13

Look at the patient information leaflet on the following page.

Match each of the following sentences with **TWO** possible endings **A-M** from the box below.

Write the appropriate letters **A-M** in boxes **6-13** on your answer sheet.

### **Example**

### **Answer**

Borodine table should not be given to .....

**A and M**

## Questions 6 and 7

Borodine tablets might be used to treat.....

## Questions 8 and 9

You must ask your doctor before taking Borodine tablets if you are already being treated for .....

## Questions 10 and 11

You do not need to consult your doctor immediately if Borodine tablets give you .....

## Questions 12 and 13

You must consult your doctor at once if you find Borodine tablets cause.....

### **Possible Endings**

- A children under 12 years of age.
- B a headache.
- C an uncomfortable feeling in your stomach.
- D symptoms similar to a cold.
- E a change in your skin colour.
- F anything treated by a prescription medicine.
- G a kidney complaint.
- H a whitening of the eyes.
- I sore or broken skin.
- J a fungal infection.
- K a feeling of sadness.
- L shortness of breath.
- M a woman expecting a child.

## PATIENT INFORMATION LEAFLET

*The name of your medicine is Borodine tablets.*

WHAT ARE **Borodine** TABLETS USED FOR?

**Borodine** tablets are used to help relieve hay fever and conditions due to allergies, in particular skin reactions and a runny nose.

It is not recommended that **Borodine** tablets are given to children under 12 years of age or pregnant or breastfeeding women.

BEFORE YOU TAKE **Borodine** TABLETS

In some circumstances it is very important not to take **Borodine** tablets. If you ignore these instructions, this medicine could affect your heart rhythm.

Are you taking oral medicines for fungal infections?

Have you suffered a reaction to medicines containing **Borodine** before?

Do you suffer from any liver, kidney or heart disease?

**If the answer to any of these questions is YES, do not take **Borodine** tablets before consulting your doctor.**

AFTER TAKING **Borodine** TABLETS

**Borodine** tablets, like many other medicines, may cause side-effects in some people.

**If you faint, stop taking **Borodine** tablets and tell your doctor immediately.**

In addition **Borodine** tablets may cause problems with your vision, hair loss, depression or confusion, yellowing of your skin or your eyes.

**If you have these effects whilst taking **Borodine** tablets tell your doctor immediately.**

Other side-effects are dizziness or headaches, and indigestion or stomach ache. However, these effects are often mild and usually wear off after a few days' treatment. If they last for more than a few days, tell your doctor.

**Answer:**

6 & 7: D, I (In either order)

8 & 9: G, J (In either order)

10 & 11: B, C (In either order)

12 & 13: E, K (In either order)